

At Keystone, your family's comfort starts here. Keystone's budget-friendly, heat/cool 115V portable air conditioner gives you the freedom to choose what room to cool and when to cool it. Our portable air conditioner is the perfect solution to cooling rooms without central AC. It is also great for reducing your central AC use by cooling the room you use the most. In addition to cooling, this multi-seasonal unit functions as a dehumidifier and offers supplemental heat capability, providing you with an additional heat source to your main heat source when outdoor temperatures are above 45 degrees Fahrenheit. Setup is quick and easy with caster wheels and a complete window venting kit. Just roll it where you need it! Add the convenience of our easy-to-use "Follow Me" LCD remote control, and everyone can relax in blissful comfort.

## Portable Air Conditioners

| MODEL                         | KSTHP14D       |
|-------------------------------|----------------|
| <b>PERFORMANCE</b>            |                |
| BTU ASHRAE                    | 14,000 BTU     |
| BTU DOE                       | 9,000 BTU      |
| Heat/Cool                     | Yes            |
| Dehumidification (pints/hour) | 5.7            |
| Cooling Area                  | 205-sq. ft.    |
| EER                           | 9.9            |
| <b>ELECTRICAL</b>             |                |
| Volts                         | 115V           |
| Amps (Cool/Heat)              | 11.9/10.2      |
| Watts (Cool/Heat)             | 1415/1170      |
| Power Cord Length (Feet)      | 6              |
| Plug Type (NEMA)              | NEMA 5-15P     |
| <b>FEATURES</b>               |                |
| Control Type                  | Electronic     |
| Number of Fan Speeds          | 3              |
| Energy Saving Mode            | No             |
| Sleep Mode                    | Yes            |
| Check Filter Indicator        | No             |
| Programmable Timer            | Yes            |
| Remote Control                | No             |
| Air CFM (Fan Speeds)          | 261/283/306    |
| Air Direction Control         | Auto-Swing     |
| Filter Type                   | Mesh Filter    |
| Filter Access                 | No             |
| Warranty                      | 1 year         |
| <b>SPECIFICATIONS</b>         |                |
| Refrigerant                   | R410A          |
| Product Dims (WxHxD)          | 18.4x30.1x15.6 |
| Product Weight                | 76.5           |



Keep cool in the heat with the Keystone Portable Air Conditioner. Bring it from room to room, house to office or any place you need cooling, this air conditioner will get the job done. Only weighing 30.5 pounds, it is easy to transport back and forth from room to room if needed. With 1.8M of cord, just plug it in anywhere and it is ready to get going. With 3 fan speeds and 3 different cooling modes, this air conditioner will always have the right setting for the feeling of maximum comfort. The built-in filter keeps the air clean for your room. Air conditioner also features a sleep mode and a programmable timer, so you can have the air conditioner running with your schedule. Control it all from the couch with the remote control for superior convenience and performance.



## Portable Air Conditioners

| MODEL                         | KSTAP10NA              | KSTAP12NA              | KSTAP14NA              |
|-------------------------------|------------------------|------------------------|------------------------|
| <b>PERFORMANCE</b>            |                        |                        |                        |
| BTU ASHRAE                    | 10,000 BTU             | 12,000 BTU             | 14,000 BTU             |
| BTU DOE                       | 5,500 BTU              | 5,700 BTU              | 7,700 BTU              |
| Dehumidification (pints/hour) | 1.6                    | 1.8                    | 2.2                    |
| Cooling Area                  | 200-sq. ft.            | 250-sq. ft.            | 350-sq. ft.            |
| EER                           | 3.0                    | 3.2                    | 2.8                    |
| <b>ELECTRICAL</b>             |                        |                        |                        |
| Volts                         | 115V                   | 115V                   | 115V                   |
| Amps                          | 8.5                    | 8.1                    | 10.5                   |
| Watts                         | 950                    | 980                    | 1450                   |
| Power Cord Length (Feet)      | 5.9                    | 5.9                    | 5.9                    |
| Plug Type (NEMA)              | LCDI                   | LCDI                   | LCDI                   |
| <b>FEATURES</b>               |                        |                        |                        |
| Control Type                  | Electronic             | Electronic             | Electronic             |
| Number of Fan Speeds          | 3                      | 3                      | 3                      |
| Energy Saving Mode            | No                     | No                     | No                     |
| Sleep Mode                    | Yes                    | Yes                    | Yes                    |
| Check Filter Indicator        | No                     | No                     | No                     |
| Programmable Timer            | Yes                    | Yes                    | Yes                    |
| Remote Control                | Yes                    | Yes                    | Yes                    |
| Air CFM (Fan Speeds)          | 241/223/206            | 241/223/206            | 241/223/206            |
| Air Direction Control         | Swing Flap             | Swing Flap             | Swing Flap             |
| Filter Type                   | Washable               | Washable               | Washable               |
| Filter Access                 | Back                   | Back                   | Back                   |
| Warranty                      | 1 year parts and labor | 1 year parts and labor | 1 year parts and labor |
| <b>SPECIFICATIONS</b>         |                        |                        |                        |
| Refrigerant                   | R410A                  | R410A                  | R410A                  |
| Product Dims (WxHxD)          | 16.3x31.4x16.4         | 16.3x31.4x16.4         | 16.3x31.4x16.4         |
| Product Weight                | 30.5                   | 30.5                   | 34                     |
| Shipping Dims (WxHxD)         | 20.5x34.8x18.3         | 20.5x34.8x18.3         | 20.5x34.8x18.3         |
| Shipping Weight               | 35                     | 35                     | 38.5                   |

Control your own comfort with the Keystone Portable Air Conditioner. Keystone's M series models have three modes to keep you comfortable - cool, fan and dry. Designed for various room sizes, their features include electronic controls with LED display and sleep mode to keep you comfortable while you are sleeping. Integrated side handles and caster wheels help you transport the unit from room to room wherever you need relief. Plus, this self-evaporative unit includes a flexible exhaust hose and window venting kit for quick and easy setup.



## Portable Air Conditioners

| MODEL                         | KSTAP10MA       | KSTAP12MA       | KSTAP14MA       |
|-------------------------------|-----------------|-----------------|-----------------|
| <b>PERFORMANCE</b>            |                 |                 |                 |
| BTU ASHRAE                    | 10,000 BTU      | 12,000 BTU      | 14,000 BTU      |
| BTU DOE                       | 6,000 BTU       | 6,500 BTU       | 7,800 BTU       |
| Dehumidification (pints/hour) | 2.8             | 3.3             | 3.5             |
| Cooling Area                  | 150-sq. ft.     | 180-sq. ft.     | 220-sq. ft.     |
| EER                           | 10.9            | 10.2            | 10.2            |
| <b>ELECTRICAL</b>             |                 |                 |                 |
| Volts                         | 115V            | 115V            | 115V            |
| Amps                          | 8               | 9.5             | 11.5            |
| Watts                         | 920             | 1150            | 1350            |
| Power Cord Length (Feet)      | 5.9             | 5.9             | 5.9             |
| Plug Type (NEMA)              | LCDI            | LCDI            | LCDI            |
| <b>FEATURES</b>               |                 |                 |                 |
| Control Type                  | Electronic      | Electronic      | Electronic      |
| Number of Fan Speeds          | 3               | 3               | 3               |
| Energy Saving Mode            | No              | No              | No              |
| Sleep Mode                    | Yes             | Yes             | Yes             |
| Check Filter Indicator        | Yes             | Yes             | Yes             |
| Programmable Timer            | Yes             | Yes             | Yes             |
| Remote Control                | No              | No              | No              |
| Air CFM (Fan Speeds)          | 241/224/206     | 241/224/206     | 241/224/206     |
| Air Direction Control         | Yes             | Yes             | Yes             |
| Filter Type                   | Filter Screen   | Filter Screen   | Filter Screen   |
| Filter Access                 | No              | No              | No              |
| Warranty                      | 1 year          | 1 year          | 1 year          |
| <b>SPECIFICATIONS</b>         |                 |                 |                 |
| Refrigerant                   | R410A           | R410A           | R410A           |
| Product Dims (WxHxD)          | 19.04x28.4x15.4 | 19.04x28.4x15.4 | 19.04x28.4x15.4 |
| Product Weight                | 64.90           | 66.0            | 72.60           |
| Shipping Dims (WxHxD)         | 21.8x34.5x17.4  | 21.8x34.5x17.4  | 21.8x34.5x17.4  |
| Shipping Weight               | 75.90           | 77.00           | 83.60           |